

This is a preview - click here to buy the full publication



IEC PAS 63166

Edition 1.0 2018-04

PUBLICLY AVAILABLE SPECIFICATION



Zhaga interface specification book 1 and book 7

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140.01; 29.140.99

ISBN 978-2-8322-5627-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	6
1 General	9
1.1 Introduction	9
1.2 Scope (informative).....	9
1.3 Conformance and References.....	9
1.3.1 Conformance	9
1.3.2 References	9
1.4 Definitions.....	9
1.5 Acronyms	10
1.6 Symbols.....	10
1.7 Conventions	10
1.7.1 Precedence	10
1.7.2 Cross references	10
1.7.3 Informative text.....	10
1.7.4 Terms in capitals.....	10
1.7.5 Units of physical quantities	10
1.7.6 Decimal separator	10
1.7.7 Limits	10
2 System Overview (informative)	11
2.1 General.....	11
2.2 Description of the LED Module	11
2.3 Outline of this Book	11
3 Mechanical Interface	13
3.1 Drawing principles	13
3.2 Mechanical references.....	13
3.3 Book-7 LED Module categories	13
3.3.1 L6W6.....	14
3.3.2 L14W2.....	16
3.3.3 L28W2.....	18
3.3.4 L28W4.....	20
3.3.5 L28W6.....	22
3.3.6 L28W28.....	24
3.3.7 L38W38.....	26
3.3.8 L56W56.....	28
3.3.9 L56W2.....	30
3.3.10 L56W4.....	32
3.4 Requirements on the mechanical interface of the Book-7 Luminaire	34
3.4.1 Flatness and roughness of the Thermal Interface Surface	34
3.4.2 Luminaire keep-out for interconnect	34
4 Photometric Interface	35
4.1 Light Emitting Surface	35
4.2 Operating conditions for measuring photometric parameters	35

4.3	Luminous flux	35
4.4	Luminous intensity distribution	35
4.5	Luminance uniformity	35
4.6	Correlated color temperature (CCT)	36
4.7	Color rendering index (CRI)	36
5	Electrical Interface	37
5.1	Electrical interface to the ECG	37
5.2	Electrical insulation	37
5.3	Mechanical aspects of the electrical interface to the ECG	37
6	Thermal Interface	38
6.1	Background information (informative)	38
6.2	General thermal requirements for Book-7 LED Modules	38
6.3	Thermal headroom of Book-7 LED Modules	38
7	Compliance test tools	40
7.1	LED Module test tools	40
7.1.1	Test Fixture PETF (photometric and electrical)	40
7.1.2	Test Fixture THTF (Thermal Headroom)	40
8	LED Module Compliance Tests	44
8.1	LED Module mechanical interface tests	44
8.1.1	Test of the mechanical interface of the LED Module	44
8.2	LED Module photometric interface tests	44
8.2.1	Test of Luminous Flux	44
8.2.2	Test of correlated color temperature (CCT)	45
8.2.3	Test of color rendering index (CRI)	45
8.2.4	Test on luminance uniformity data	45
8.3	LED Module thermal interface tests	46
8.3.1	Test of thermal headroom of the LED Module	46
8.4	LED Module electrical interface tests	46
8.5	LED Module Product Data Set test	46
9	Luminaire compliance tests	47
9.1	Luminaire mechanical interface tests	47
9.1.1	Test on the mechanical interface of the Luminaire for mounting the LED Module(s)	47
9.2	Luminaire Product Data Set test	47
Annex A	Product Data Set requirements	49
A.1	LED Module Product Data Set	49
A.2	Luminaire Product Data Set	49
Annex B	Measurements on Luminance uniformity (informative)	50
B.1	Test equipment	50
B.2	Test conditions	50
B.3	Test procedure	51

Annex C	Guidelines for mechanical interface test (informative)	52
Annex D	History of Changes	54
1	General	56
1.1	Introduction	56
1.2	Scope	56
1.3	Conformance and references	56
1.3.1	Conformance	56
1.3.2	Normative references	56
1.3.3	Informative references	57
1.4	Common definitions	57
1.5	Common acronyms	59
1.6	Common symbols	59
1.7	Common conventions	60
1.7.1	Cross references	60
1.7.2	Informative text	60
1.7.3	Terms in capitals	60
1.7.4	Units of physical quantities	60
1.7.5	Decimal separator	60
2	Overview of Zhaga (informative)	61
2.1	About Zhaga	61
2.2	Zhaga building blocks and interfaces	61
2.3	Compatibility and Interchangeability	63
2.4	Product Data Set	63
2.5	Compliance testing	63
2.5.1	Certification	64
2.5.2	Market surveillance	64
2.6	Compatibility check	64
2.7	Zhaga product certification	65
3	Mechanical interface	66
3.1	Drawing principles	66
3.2	Mechanical interface between Separate ECG and Luminaire	66
3.3	Thermal expansion	66
4	Photometric interface	67
4.1	Light Emitting Surface	67
4.1.1	LES categories	67
4.2	Operating conditions for measuring photometric parameters	68
4.3	Luminous flux	69
4.4	Luminous intensity distribution	69
4.4.1	Beam angle and beam angle categories	70
4.5	Luminance uniformity	70
4.6	Correlated color temperature (CCT)	70

4.7 Color rendering index (CRI)	71
4.8 Luminaire Optics (informative)	71
5 Electrical interface	72
5.1 Electrical insulation (informative)	72
6 Thermal interface	73
6.1 Background information (informative)	73
6.2 Generic thermal interface model	73
6.2.1 General case	73
6.2.2 Test Fixture TPTF	75
6.2.3 Rated Operating Temperature and safety (informative)	75
6.2.4 Thermal overload protected LED Light Engine (Informative)	75
6.2.5 Ambient Temperature	76
6.2.6 Luminaires with multiple LLEs or multiple LED Modules	76
6.2.7 Thermal compatibility check	76
6.2.8 Thermal uniformity	77
6.2.9 Thermal Interface Material	78
6.2.10 Surface planarity and roughness	78
6.2.11 Aging of LED Light Engine or LED Module (informative)	78
6.2.12 Influence of the Electronic Control Gear on the thermal interface (informative)	78
6.2.13 Ambient Temperature and thermal resistance (R_{th})	79
7 Control interface	80
Annex A Compliance tests	81
A.0 LED Module compliance tests	81
A.0.1 LED Module mechanical interface test	81
A.0.2 LED Module photometric interface tests	81
A.0.3 LED Module thermal interface tests	83
A.0.4 LED Module electrical interface tests	84
A.0.5 LED Module Product Data Set test	84
A.1 LLE compliance tests	85
A.1.1 LLE mechanical interface tests	85
A.1.2 LLE photometric interface tests	85
A.1.3 LLE thermal interface tests	88
A.1.4 LLE electrical interface tests	93
A.1.5 LLE control interface tests	93
A.1.6 LLE Product Data Set test	93
A.2 Luminaire compliance tests	93
A.2.1 Luminaire mechanical interface tests	93
A.2.2 Luminaire photometric interface tests	94
A.2.3 Luminaire thermal interface tests	94
A.2.4 Luminaire electrical interface tests	94
A.2.5 Luminaire control interface tests	95
A.2.6 Luminaire Product Data Set test	95
Annex B History of changes	96

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ZHAGA INTERFACE SPECIFICATION BOOK 1 AND BOOK 7

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 63166 has been processed by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This PAS is a reproduction of Zhaga Books 1 and 7 with no changes introduced.

The document layout, terms and definitions, etc. within this PAS therefore do not follow the normal IEC drafting rules that would be applied for an International Standard.

Subdivision 1 comprises Zhaga Book 7 – Rectangular LED Module with undefined LES.

Subdivision 2 comprises Zhaga Book 1 – Overview and common information, which is essential to the interpretation of Zhaga Book 7 (and future Zhaga books).

The future intention is for the content of this PAS to be incorporated within one or more International Standards and at this time any conflict with IEC Directives and drafting rules will be addressed.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
34A/2048/PAS	34A/2054/RVDPAS

Following publication of this PAS, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 2 years starting from the publication date. The validity may be extended for a single period up to a maximum of 2 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ZHAGA INTERFACE SPECIFICATION BOOK 1 AND BOOK 7

Subdivision 1

Zhaga Interface Specification Book 7 Rectangular LED Module with undefined LES

Summary (informative)

Background

The Zhaga Consortium is a global lighting-industry organization that aims to standardize LED light engines and associated components such as LED modules, holders and electronic control gear (LED drivers).

Zhaga has created a set of interface specifications, known as Books. Each Book defines an LED light engine and/or associated components by means of the mechanical, photometric, electrical, thermal, and control interfaces of the product to its environment. This makes such products interchangeable in the sense that it is easy to replace one product with another, even if they have been made by different manufacturers.

Contents

This book 7 defines several LED modules. Each LED module has a rectangular shape and the only restriction to the light emitting surface is that no light is emitted in the direction of the reference plane of the LED module.

This book must be read together with book 1, which is included as Subdivision 2 of this document.

Intended Use

The Book-7 LED module can be mounted in a luminaire, for example by means of screws. Book-7 LED modules are intended to be replaced by professionals only.

1 General

1.1 Introduction

The Zhaga Consortium is a global organization that aims to standardize LED Light Engines and associated components. A LED Light Engine is a light source for general lighting that is based on solid state technology, and typically consists of one or more LEDs combined with an Electronic Control Gear. Examples of associated components are LED Modules, Electronic Control Gears, and Holders. Zhaga has created a set of interface specifications, known as Books defining interfaces between LED Light Engines, associated components and Luminaires.

Book 1 is a special Book in the sense that it provides common information, which is relevant to all other Books in the series. In addition, Book 1 defines requirements and compliance tests, which are applicable across multiple Zhaga books. Such Books refer to those requirements and compliance tests as applicable.

1.2 Scope (informative)

This Book 7 defines LED Modules, which can be fixed in a Luminaire. This document defines:

- Ten categories of the rectangular shaped LED Modules.
- Luminaires that provide the appropriate environment for the Book-7 LED Module(s).

Book 7 LED Modules are intended to be installed and replaced by Luminaire manufacturers only. Book 1 is included as Subdivision 2 of this document.

1.3 Conformance and References

1.3.1 Conformance

All provisions in the Zhaga interface Specification are mandatory, unless specifically indicated as recommended, optional or informative. Verbal expressions of provisions in the Zhaga Interface Specification follow the rules provided in Annex H of ISO/IEC Directives, Part 2:2011. For clarity, the word “shall” indicates a requirement that is to be followed strictly in order to conform to the Zhaga Interface Specification, and from which no deviation is permitted. The word “should” indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited. The word “may” indicates a course of action permissible within the limits of the Zhaga Interface Specification. The word “can” indicates a possibility or capability, whether material, physical or causal.

1.3.2 References

For references that are not listed in this section, see [Book 1]. For undated references, the most recently published edition applies.

[Book 1]	Zhaga Interface Specification, Book 1: Overview and Common Information. Book 1 is included as Subdivision 2 of this document.
[ISO/IEC 15948]	Information technology – Computer graphics and image processing – Portable Network Graphics (PNG): Functional specification.
[IEC 60598-1]	Luminaires – Part 1: General requirements and tests
[LEDset-Inf]	LEDset1 Information Interface Specification, Edition 1.2, November, 2016 available from md-sig.org.
[LEDset-Pow]	LEDset Power Interface Specification, Edition 1.1, November, 2016 available from md-sig.org.